

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY				
1.1 Product name	: MOLYKOTE(R) 1000 PASTE			
1.2 Identified uses	: Lubricants and additives	Lubricants and additives		
Uses advised against	: None known.			
1.3 Company	: Dow Corning Europe S.A. rue Jules Bordet - Parc Industriel - Zone C B-7180 Seneffe Belgium	rue Jules Bordet - Parc Industriel - Zone C B-7180 Seneffe		
E-mail address (Safety Data Sheet)	: sdseu@dowcorning.com			
Customer Service	: English Tel: +49 611237507 Deutsch Tel: +49 611237500 Français Tel: +49 611237500 Italiano Tel: +32 64511149 Italiano Tel: +32 64511170 Español Tel: +32 64511163			
1.4 Emergency Phone Number	Fax: +32 64888683 : Dow Corning (Barry U.K. 24h) Dow Corning (Wiesbaden 24h) Dow Corning (Seneffe 24h) Tel: +44 144673235 Tel: +49 61122158 Tel: +32 64 888240	50		

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to EU Directives 67/548/EEC or 1999/45/EC:

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling according to EEC Directive

Symbols	: N Dangerous for the environment.
R-phrases	: R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases	 S24/25 Avoid contact with skin and eyes. S29 Do not empty into drains. S41 In case of fire and/or explosion do not breathe fumes. S57 Use appropriate container to avoid environmental contamination. S60 This material and its container must be disposed of as hazardous waste. S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Inorganic and organic compounds in mineral oil

According to EU Directives 67/548/EEC or 1999/45/EC:

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification	
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	<=21.0	Substance with exposure limit	a Community workplace
Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified	64742-56-9	265-159-2	-	<=21.0	Substance with exposure limit	a Community workplace
Copper	7440-50-8	231-159-6	-	7.8	Ν	R50
Polybutene	9003-29-6	Exempt or not available	-	5.5	Substance with exposure limit	a Community workplace
Zinc	7440-66-6	231-175-3	-	4.4	F	R15 R17 R50/53
N-Tallow	61791-53-5	263-186-4	-	0.3	C	R34
Alkyltrimethylenediami ne Oleate					Ν	R50

According to Regulation (EC) No. 1272/2008:

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	<=21.0	Substance with a Community workplace exposure limit
Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified	64742-56-9	265-159-2	-	<=21.0	Substance with a Community workplace exposure limit
Copper	7440-50-8	231-159-6	-	7.8	Acute aquatic hazard: Category 1 - H400
Polybutene	9003-29-6	Exempt or not available	-	5.5	Substance with a Community workplace exposure limit
Zinc	7440-66-6	231-175-3	-	4.4	Pyrophoric solid: Category 1 - H250
			3 of 10		



According to article 31 and Annex II of the EU REACH Regulation

					Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010
			MOLYKOTE(R)	1000 PAS	1
					Substances and mixtures, which in contact with water, emit flammable gases: Category 1 - H260
					Acute aquatic hazard: Category 1 - H400 Chronic aquatic hazard: Category 1 - H410
A	Tallow 617 kyltrimethylenediami Oleate	91-5	3-5 263-186-4 -	0.3	Skin corrosion/irritation: Category 1B - H314 Acute aquatic hazard: Category 1 - H400
For CL	the full text of the R-phrases ment the full text of the H-Statements n P classifications are based on all cu re information becomes available.	nentio	ned in this Section, see Section 16.	ternational organi	zations. These classifications are subject to revision as
4. FI	RST AID MEASURES				
4.1	Description of First Aid N	leas	ires:		
	On contact with eyes	:	Flush with water.		
	On skin contact	:	Flush with water.		
	If inhaled	:	No first aid should be needed.		
	On ingestion	:	Do not induce vomiting. Obt	ain medical att	zention.
5. FI	RE-FIGHTING MEASUR	ES			
5.1	Suitable extinguishing media	:			ter spray (fog). On small fires use carbon . Water can be used to cool fire exposed
	Unsuitable extinguishing media	:	None known.		
5.2	Hazards during fire fighting	:	Toxic vapours are evolved.		
	Hazardous Combustion Products	:	the following decomposition	products: Silic ormaldehyde.	ire or very high heat conditions may evolve ca. Carbon oxides and traces of incompletely Toxic vapours of fluorinated compounds.

5.3 Special protective equipment/procedures
A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE

6. A	6. ACCIDENTAL RELEASE MEASURES			
6.1	Personal precautions, protective equipment and emergency procedures	:	Wear proper protective equipment.	
6.2	Environmental precautions	:	Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers.	
6.3	Methods and materials for containment and cleaning up	:	Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.	

7. HANDLING AND STORAGE			
7.1 Advice on safe handling	:	General ventilation is required. Avoid skin and eye contact. Do not breathe spray or mist. Do not empty into drains.	
7.2 Advice on storage	:	Do not store with oxidizing agents. Storage temperature: maximum 32 °C	
7.3 Specific uses	:	Refer to technical data sheet available on request.	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control	parameters
-----	---------	------------

Name	CAS-No.	Exposure Limits			
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral			
Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified	64742-56-9	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral			
Polybutene	9003-29-6	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral			
8.2 Exposure controls					
Engineering Controls	: Ventilation : Re	efer to Section 7.1			



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE

Personal protection equipr	<u>nent</u>	
Respiratory protection	:	A suitable respirator must be worn if the product is used in any circumstances where an aerosol or mist may be generated, such as during spraying or similar activities. Depending on the working conditions, wear a respiratory mask with filter(s) P or use a self-contained respirator. The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection supplier.
Hand protection	:	Chemical protective gloves should be worn where repeated or prolonged contact can occur: Viton(TM). 4H(TM). Silver shield(TM). Nitrile rubber. Regarding glove's breakthrough time, contact your chemical protective glove supplier.
Eye/face protection	:	Safety goggles should be worn.
Skin protection	:	Wear impervious overalls in circumstances where significant skin contact can occur.
Hygiene measures	:	Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.
Additional information	:	These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.
<u>Environmental exposure</u> <u>controls</u>	:	Refer to section 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	Paste
Colour	:	Brown
Odour	:	Slight
Explosive properties	:	No
Specific Gravity	:	1.26
Oxidizing properties	:	No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

10.1 Reactivity	:	None known.
10.2 Stability	:	Stable under normal usage conditions.
10.3 Possibility of hazardous reactions	:	None known.



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE 10.4 Conditions to avoid None established. : 10.5 Materials to avoid Can react with strong oxidising agents. : **10.6 Hazardous decomposition** : Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica. Carbon oxides and traces of incompletely products burned carbon compounds. Formaldehyde. Toxic vapours of fluorinated compounds. Nitrogen products. Sulphur products.

11. TOXICOLOGICAL INFO	RMA	ATION
Acute toxicity:		
On contact with eyes	:	Slightly irritating.
On skin contact	:	Slightly irritating.
If inhaled	:	No adverse effects are normally expected.
On ingestion	:	Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung oedema or pneumonia.
Chronic toxicity:		
On skin contact	:	Can irritate on prolonged or repeated skin contact.
If inhaled	:	No adverse effects are normally expected.
On ingestion	:	Repeated swallowing may cause gastrointestinal irritation and disturbance.
Toxicokinetics, metabolism and distribution	:	No specific information is available.
<u>Other Health Hazard</u> <u>Information</u>	:	This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the current physical form of the product, which is not in a respirable form.
 Based on product test da Based on test data from 		ar products

Based on test data from similar products.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity effects

Very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment. However, due to the physical form and water-insolubility of the product the bioavailability is negligible.

12.2 Persistence and degradability

Solid material, insoluble in water.



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE

12.3 Bioaccumulation

No bioaccumulation potential.

12.4 Release to waters / Mobility in soil

Fate and effects in waste water treatment plants:

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

Product and packaging disposal	:	This material must be disposed of as hazardous waste. Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not
		product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION

<u>Road / Rail (ADR/RID)</u>	
UN No.	: UN 3077
Proper Shipping Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Tallowalkyltriethylene diamineoleate / Zinc)
Class	: 9
Packing group	: III
Labels	: 9
<u>Sea transport (IMDG)</u>	
UN No.	: UN 3077
Proper Shipping Name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(Tallowalkyltriethylene diamineoleate / Zinc)
Class	: 9
Packing group	: III
Emergency Schedule (EmS)	: F-A S-F
Marine pollutant	: Tallowalkyltriethylene diamineoleate Zinc



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE

Labels	: miscellaneous	
<u>Air transport (IATA)</u>		
UN No.	: UN 3077	
Proper Shipping Name	: Environmentally hazardous substance, solid, n.o.s.(Tallowalkyltriethylene diamineoleate / Zinc)	/
Class	: 9	
Packing group	: III	
Labels	: Miscellaneous dangerous goods	
	: Apply Gross Wt Supplemental Label to Outer Package if shipping Limited Quantity	

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
<u>Status</u>				
EINECS	: All ingredients listed, exempt or notified (ELINCS).			
TSCA	: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.			
AICS	: All ingredients listed, exempt or notified.			
IECSC	: All ingredients listed or exempt.			
ENCS/ISHL	: All ingredients listed, exempt or notified.			
KECL	: All ingredients listed, exempt or notified.			
PICCS	: All ingredients listed, exempt or notified.			
DSL	: All ingredients listed or exempt.			



According to article 31 and Annex II of the EU REACH Regulation

Version: 4.0 Revision Date: 08.10.2012 Superseded date: 20.04.2010

MOLYKOTE(R) 1000 PASTE

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information

R15 Contact with water liberates extremely flammable gases., **R17** Spontaneously flammable in air., **R34** Causes burns., **R50** Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H250 Catches fire spontaneously if exposed to air., H260 In contact with water releases flammable gases which may ignite spontaneously., H314 Causes severe skin burns and eye damage., H400 Very toxic to aquatic life., H410 Very toxic to aquatic life with long lasting effects.